INDEX OF AUTHORS

ANDRADE MEDONÇA, I. DE *See* MEYER, H., OLIVEIRA MUSACCHIO, M. DE and ANDRADE MEDONÇA, I. DE

ARTHUR, D. R. New species of *Ixodes* ticks from eastern Africa, with a description of the male and nymph of *Ixodes oldi* Nuttall, 1913. (With 91 Figures in the Text), 38

ARTHUR, D. R. A review of some ticks (Acarina: Ixodidae) of sea birds, including a consideration of other cognate material. I. (With 13 Figures in the Text), 124

BAILEY, L. The epidemiology of the infestation of the honeybee, *Apis mellifera* L., by the mite *Acarapis woodi* Rennie and the mortality of infested bees. (With 5 Figures in the Text), 493

BELL, E. J. and SMYTH, J. D. Cytological and histochemical criteria for evaluating development of trematodes and pseudophyllidean cestodes *in vivo* and *in vitro*. (With 2 Figures in the Text), 131

BIRD, ALAN F. Further observations on the structure of nematode cuticle. (With Plates VII and VIII), 32

BISHOP, ANN. An analysis of the development of resistance to metachloridine in clones of *Plasmodium gallinaceum*, 210

CLARKSON, M. J. Life history and pathogenicity of *Eimeria adenoeides* Moore & Brown, 1951, in the turkey poult. (With 6 Figures in the Text), 70

CROFTON, H. D. Nematode parasite populations in sheep on lowland farms. IV. The effects of anthelmintic treatment. (With 7 Figures in the Text), 235

CROFTON, H. D. Nematode parasite populations in sheep on lowland farms. V. Further observations on the post-parturient rise and a discussion of its significance. (With 6 Figures in the Text), 243

CROFTON, H. D. Nematode parasite populations in sheep on lowland farms. VI. Sheep behaviour and nematode infections. (With 2 Figures in the Text), 251

DASGUPTA, BISWAPATI. A new schizogregarine, *Mattesia orchopiae* n.sp., in a flea of squirrels in England. (With 14 Figures in the Text), 375

DASGUPTA, B. and MEEDENIYA, KAMANI. The vector of *Hepatozoon sciuri*. (With 7 Figures in the Text), 419

ERASMUS, DAVID A. Studies on the morphology, biology and development of a strigeid cercaria (*Cercaria X* Baylis 1930). (With Plate XIII and 6 Figures in the Text), 312

FOSTER, R. The effects of trematode metacercariae (Brachylaemidae) on the slugs *Milax sowerbii* Férussac and *Agriolimax reticulatus* Müller. (With Plate X), 261

FOSTER, R. Infestation of the slugs *Milax sowerbii* Férussac and *Agriolimax reticulatus* Müller by trematode metacercariae (Brachylaemidae). (With 2 Figures in the Text), 303

GRESSON, R. A. R. The gametogenesis of the digenetic trematode *Sphaerostoma bramae* (Müller) Lühe. (With Plates XI and XII), 293

INGLIS, WILLIAM G. A revision of the nematode genus *Meteterakis* Karve, 1930. (With 22 Figures in the Text), 9

JACK, K. M. Notes on three species of *Pterygosoma* (Acarina: Pterygosomidae) from Gerrhosaurid lizards. (With 3 Figures in the Text), 89

JAIN, G. P. On the egg and miracidium of *Paryphostomum mehrai* (Faruqui). (With 3 Figures in the Text), 96

JAIN, G. P. On *Cercaria mehrai* Faruqui, 1930 with notes on its life-history. (With 4 Figures in the Text), 413

JOYNER, L. P. Experimental *Eimeria mitis* infections in chickens. (With 6 Figures in the Text), 101

LEE, D. L. A note on a species of *Syngamus* found in the intestine of *Turdus pilaris*. (With 5 Figures in the Text), 121

LEE, D. L. On the morphology of the male, female and fourth-stage larva (female) of *Hammerschmidtiella diesingi* (Hammerschmidt), a nematode parasitic in cockroaches. (With 8 Figures in the Text), 433

LEE, D. L. Digestion in *Leidynema appendiculata* (Leidy, 1805), a nematode parasitic in cockroaches. (With 4 Figures in the Text), 437

MCCONNACHIE, ELSPETH W. Factors affecting the growth and behaviour of axenic strains of *Entamoeba invadens* Rodhain, 1934, 423

MEEDENIYA, KAMANI. *See* DASGUPTA, B. and MEEDENYIA, KAMANI.

MEYER, H., OLIVEIRA MUSACCHIO, M. DE and ANDRADE MENDONÇA, I. DE. Electron microscopic study of *Trypanosoma cruzi* in thin sections of infected tissue cultures and of blood-agar forms. (With Plates I–VI), 1

OLIVEIRA MUSACCHIO, M. DE. *See* MEYER H., OLIVEIRA MUSACCHIO, M. DE and ANDRADE MEDONÇA, I. DE.

PATERSON, NELLIE F. External features and life cycle of *Cucumaricola notabilis* nov. gen. et sp., a copepod parasite of the holothurian, *Cucumaria*. (With 11 Figures in the Text), 269

REES, GWENDOLEN. A comparison of the structure of the scolex of *Bothriocephalus scorpii* (Müller 1776) and *Clestobothrium crassiceps* (Rud. 1819) and the mode of attachment of the scolex to the intestines of the host. (With Plates XVIII and XIX and 31 Figures in the Text), 468

ROTHSCHILD, MIRIAM. The bird fleas of Fair Isle. (With 10 Figures in the Text), 382

SMITH, KENNETH M. A study of the early stages of infection with the tipula iridescent virus. (With Plates XIV–XVII), 459

SMYTH, J. D. *See* BELL, E. J. and SMYTH, J. D.

SOLIMAN, K. N. *Globidium gilruthi* (Chatton, 1910) infection in the digestive tract of sheep and goats in Egypt, 291

SPRENT, J. F. A. Observations on the development of *Toxocara canis* (Werner, 1782) in the dog. (With Plate IX and 19 Figures in the Text), 184

TATCHELL, R. J. The physiology of digestion in the larvae of the horse bot-fly, *Gasterophilus intestinalis* (de Geer). (With 8 Figures in the Text), 448

TETLEY, J. H. The sheep ked, *Melophagus ovinus* L. I. Dissemination potential, 353

TETLEY, J. H. The sheep ked, *Melophagus ovinus* L. II. Keds acquired by a lamb from its mother. (With 5 Figures in the Text), 364

THOMAS, J. D. Studies on *Crepidostomum metoecus* (Braun) and *C. farionis* (Müller), parasitic in *Salmo trutta* L. and *S. salar* L. in Britain. (With 10 Figures in the Text), 336

THURSTON, JUNE P. The oxygen uptake of *Trypanosoma lewisi* and *Trypanosoma equiperdum*, with especial reference to oxygen consumption in the presence of amino-acids. (With 7 Figures in the Text), 149

THURSTON, JUNE P. The effect of some metabolic inhibitors on the oxygen uptake of *Trypanosoma lewisi* and *Trypanosoma equiperdum*. (With 14 Figures in the Text), 165

THURSTON, JUNE P. The effect of immune sera on the respiration of *Trypanosoma brucei in vitro*. (With 2 Figures in the Text), 463

WALTERS, V. ANN. Structure, hatching and size variation of the spores in a species of *Nosema* (Microsporidia) found in *Hyalophora cecropia* (Lepidoptera). (With 1 Figure in the Text), 113

INDEX OF SUBJECTS

Acarapis woodi Rennie, epidemiology of infestation of the honeybee, *Apis mellifera* L. by, and the mortality of infested bees, 493
Agriolimax reticulatus Müller, effects of metacercariae of Brachylaemidae on, 261
infestation of, with metacercariae of Brachylaemidae, 303
Anthelmintic treatment, effect of, on nematode parasites of sheep on lowland farms, 235
Apis mellifera L., epidemiology of infestation of, by *Acarapis woodi* Rennie, and mortality of infested bees, 493

Birds, of Fair Isle, fleas of, 382
Bot-fly, digestion in the larvae of, 448
Bothriocephalus scorpii (Müller, 1776), comparison of the scolex and its attachment with those of *Clestobothrium crassiceps* (Rud. 1819), 468
Brachylaemidae, effects of metacercariae of, on the slugs *Milax sowerbii* Férussac and *Agriolimax reticulatus* Müller, 261
metacercariae of, infesting *Milax sowerbii* Férussac and *Agriolimax reticulatus* Müller, 303

Cercaria, mehrai Faruqui, 1930, structure and life-history of, 413
Cercaria, X Baylis, 1930, morphology, biology and development of, 312
Cestodes, pseudophyllidean, cytological and histochemical criteria for evaluating development of, *in vivo* and *in vitro*, 131
Chickens, experimental infection of, with *Eimeria mitis*, 101
Clestobothrium crassiceps (Rud. 1819), comparison of the scolex and its attachment with those of *Bothriocephalus scorpii* (Müller, 1776), 468
Cockroaches, *Hammerschmidtiella diesingi* (Hammerschmidt), a nematode parasitic in, 433
Leidynema appendiculata (Leidy, 1850), a nematode parasitic in, 437
Crepidostomum, farionis (Müller), parasitic in *Salmo trutta* L. and *Salmo salar* L. in Britain, studies on, 336
metoecus (Braun), parasitic in *Salmo trutta* L. in Britain, studies on, 336
Cucumaria, host of *Cucumaricola notabilis*, nov. gen. et sp., 269
Cucumaricola notabilis nov. gen. et sp., parasitic on *Cucumaria*, external features and life cycle of, 269

Digestion, in the nematode *Leidynema appendiculata* (Leidy, 1850), 437
in the larvae of the horse bot-fly, *Gasterophilus intesinalis* (de Geer), 448
Diomedea chlororhynchus, host of *Ixodes diomedeae* n.sp., 124
Dog, development of *Toxocara canis* in, 184

Eimeria, adenoeides Moore & Brown, 1951, life-history and pathogenicity of, in the turkey poult, 70
Eimeria mitis, experimental infection of chickens with, 101
Entamoeba invadens, factors affecting the growth and behaviour of axenic strains of, 423

Fleas, of squirrels in England (*Orchopeas wickhami*), as hosts of the schizogregarine, *Mattesia orchopiae* n.sp., 375
as vectors of *Hepatozoon sciuri*, 419
Fratercula arctica grabae, description of the male of *Ixodes rothschildi* from the burrows of, 124

Gasterophilus intestinalis (de Geer), digestion in the larvae of, 448
Gerrhosaurid lizards, notes on three species of *Pterygosoma* (Acarina: Pterygosomidae) from, 89
Globidium gilruthi (Chatton, 1910), infection of Egyptian sheep and goats with, 291

Hammerschmidtiella diesingi (Hammerschmidt), morphology of the male, female and female fourth-stage larva of, 433
Hepatozoon sciuri, sporogony of, in its squirrel flea vectors in England, 419

Hyalophora cecropia (Lepidoptera), hatching and size variation of spores of a species of *Nosema* (Microsporidia) in, 113

Ixodes, new species of, from Eastern Africa, 38
Ixodes, diomedeae n.sp., description of the female of, from *Diomedea chlororhynchus* and differentiation from *Ixodes rothschildi*, 124
oldi, Nuttall, 1913, description of the male and nymph of, 38
Ixodes, rothschildi, description of, from the burrows of *Fratercula arctica grabae*, 124

Leidynema appendiculata (Leidy, 1850), digestion in, 437

Manx shearwater, host of *Ixodes rothschildi*, 124
Mattesia orchopiae n.sp., a schizogregarine parasitic in a flea of squirrels in England, 375
Melophagus ovinus L., dissemination potential of, 353
acquirement of, by the lamb from its mother, 364
metacercariae, brachylaemid, effects of, on *Milax sowerbii* Férussac and *Agriolimax reticulatus* Müller, 261
Metachloridine, development of resistance in clones of *Plasmodium gallinaceum* to, 210
Meteterakis Karve, 1930, revision of the genus, 9
Milax sowerbii Férussac, effects of metacercariae of Brachylaemidae on, 261
infestation of, with metacercariae of Brachylaemidae, 303

Nematode parasites, of cockroaches, 433, 437
of sheep on lowland farms,
effects of anthelmintics on, 235
postparturient rise of populations of, 243
relation of behaviour of sheep to infection with, 251
revision of the genus *Meteterakis* Karve, 1930, 9
Nosema (Microsporidia), structure, hatching and size variation of the spores of, in *Hyalophora cecropia* (Lepidoptera), 113

Orchopeas wickhami, a new schizogregarine, *Mattesia orchopiae*, n.sp. in, 375
as vector of *Hepatozoon sciuri*, 419
Oxygen uptake, of *Trypanosoma lewisi* and *Trypanosoma equiperdum*, effect of some metabolic inhibitions on, 165
of *Trypanosoma lewisi* and *Trypanosoma equiperdum*, with especial reference to oxygen consumption in the presence of amino-acids, 149

Paryphostomum mehrai (Faruqui), egg and miracidium of, 96
Plasmodium gallinaceum, development of resistance to metachloridine in clones of, 210
Pterygosoma (Acarina: Pterygosomidae), notes on three species of, from Gerrhosaurid lizards, 89

Respiration, of *Trypanosoma brucei*, effect of immune sera on, 463

Salmo, salar L., host of *Crepidostomum metoecus* (Braun) and *C. farionis* (Müller) in Britain, 336
trutta L., host of *Crepidostomum metoecus* (Braun) and *C. farionis* (Müller) in Britain, 336
Sea birds, review of some Ticks (Acarina) of, 124
Sheep,
nematode parasites of,
effect of anthelmintics on, 235
postparturient rise of populations of, 243
behaviour of, in relation to nematode infections, 251
Sheep, and goats in Egypt, infection of, with *Globidium gilruthi* (Chatton, 1910), 291
Sheep ked, dissemination potential of, 353
acquirement of, by the lamb from its mother, 364
Sphaerostoma bramae (Müller) Lühe, the digenetic trematode, gametogenesis of, 293

Squirrel, flea of (*Orchopeas wickhami*), in England, as host of the schizogregarine, *Mattesia orchopiae* n.sp., 375
as vector of *Hepatozoon sciuri*, 419
Syngamus, species of, found in the intestine of *Turdus pilaris*, 121

Ticks (Acarina), some species of, found on sea birds, 124
Tipula paludosa, early stages of infection of the fatbody of the larva of, with tipula iridescent virus, 459
Tissue cultures, infected with *Trypanosoma cruzi*, electron microscopic study of thin sections of, 1
Toxocara canis, development of, in the dog, 184
Trematodes, cytological and histochemical criteria for evaluating development of, *in vivo* and *in vitro*, 131
Trypanosoma, brucei, effect of immune sera on the respiration of, 463
Trypanosoma, cruzi, electron microscopic study of, in thin sections of infected tissue cultures and in blood-agar forms, 1
Trypanosoma, equiperdum, oxygen uptake of, with especial reference to oxygen consumption in the presence of amino-acids, 149
oxygen uptake of, effect of some metabolic inhibitions on, 165
Trypanosoma, lewisi, oxygen uptake of, with especial reference to oxygen consumption in the presence of amino-acids, 149
oxygen uptake of, effect of some metabolic inhibitions on, 165
Turdus pilaris, host of a species of *Syngamus*, 121
Turkey poult, life history and pathogenic effects of *Eimeria adenoeides* in, 70

Virus, tipula iridescent, early stages of infection of the larva of *Tipula paludosa* with, 459